

ELECTRACLEAN

Anti-Static Floor Cleaner

MSDS SHEET

PN: E-Clean, ESD Floor Cleaning Solution
Material Safety Data Sheet

SECTION I - IDENTITY

PN: E-Clean, Static Dissipative ESD Floor Cleaning Solution
United Static Control Products Incorporated
POB 19252, 4878 Lakeview Cir
Colorado City, CO, 81019
United States of America

Hazardous - NO

Health: 1

Flammability: 0

Reactivity: 0

Personal Protection: B

Telephone Number for Information
(719) 676-3928

Date Prepared
06/16/09

Prepared By S Cooper

4 = Most Hazardous
Emergency Phone Number
1 719 676 3928 or Poison Center

SECTION II - HAZARDOUS INGREDIENTS

Hazardous Components CAS Reg#	PEL	TWA	STEL	Other Limits	% (opt)
*DIETH. GLYCOL METH. ETHER # 111-77-3	N.A.	N.A.	N.A.		< 15

*LISTED CHEMICAL SUBJECT TO REPORTING REQUIREMENT OF SCT.313 OF TITLE III.

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling point	- 215F	Specific Gravity (Water=1)	- 1.0
Vapor Pressure (mm Hg)	- 18.0	Melting Point	- N.A.
Vapor Density (air=1)	- 1.06	Evaporation Rate (Butyl Acetate=1)	-0.28
Viscosity (CPS)	- NA	Decomposition Temperature	-NA.
Auto Ignition Temp.	- NA	Solubility in Water	-COMPLETE
pH - 7.0 +/- .5			
Appearance and Odor	-LIGHT GREEN COLORED LIQUID, PLEASANT ODOR		

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

ELECTRACLEAN

Anti-Static Floor Cleaner

MSDS SHEET

Flash Point - N.A.

Flammable Limits

LEL - N.A.

UEL - N.A.

Extinguishing media - WATER SPRAY

Fire Fighting Procedure - COOL CONTAINERS WITH WATER

Fire and Explosion Hazards - NONE

SECTION V - REACTIVITY DATA

Stability - STABLE

Conditions to Avoid - N.A.

Incompatibility - STRONG OXIDIZERS

Hazardous Decomposition or Byproduct - THERMAL DECOMPOSITION MAY YIELD
CARBON MONOXYDE

Hazardous Polymerization - WILL NOT OCCUR

Conditions to Avoid - N.A.

The information herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or results to be obtained from use thereof.
Essentially similar to OSHA form # 174

SECTION VI - HEALTH HAZARD DATA

Routes of entry:

Inhalation - NO

Skin - NO

Ingestion - YES

Health Hazards-Acute: CAUSES EYE AND SKIN IRRITATION

CHRONIC: REDNESS OF SKIN

Carcinogenicity: NO

NTP - N.A.

IARC Monographs - N.A.

OSHA Regulated - NO

Signs and Symptoms of Exposure - IRRITATION, REDNESS OF SKIN, EYES

Medical Conditions Aggravated - DERMATITIS

Emergency and First Aid Procedures - WASH CONTACT AREAS WITH PLENTY OF WATER:

15 MINUTES. INGESTION: DO NOT INDUCE

VOMITING

CALL PHYSICIAN IMMEDIATELY

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled - DIKE AND
COLLECT MATERIAL INTO PLASTIC CONTAINER. WATER RINSE AND DRAIN, FLUSH

ELECTRACLEAN

Anti-Static Floor Cleaner

MSDS SHEET

SMALL AMOUNTS. (BIODEGRADABLE)

Waste Disposal Method - USE SANITARY LANDFILL DISPOSAL. (NOT A HAZARDOUS WASTE) FOLLOW STATE AND LOCAL REGULATIONS (RCRA; SUBTITLE D)

Precautions to be Taken in Handling and Storage -

DO NOT MIX WITH OTHER CHEMICALS.

AVOID PROLONGED CONTACT. KEEP FROM FREEZING.

Other Precautions - STORE IN SECURE AREA. AVOID FOOD OR FEED CONTAMINATION.
KEEP OUT OF REACH OF CHILDREN!

SECTION VIII - CONTROL MEASURES

Respiratory Protection - NOT REQUIRED WITH NORMAL USE
IN WELL VENTILATED AREA

Ventilation Local Exhaust - N.A.
 Mechanical - N.A.
 Special - N.A.
 Other - ASSURE FRESH AIR CIRCULATION.

Protective Gloves - REQUIRED: RUBBER, PLASTIC

Eye Protection - RECOMMENDED: SAFETY GLASSES

Other Protection - NA.

Work/Hygienic Practices - DO NOT EAT, DRINK NEXT TO MATERIAL.
WASH HANDS/FACE AFTER WORK.

SECTION IX - TRANSPORTATION

49 CFR

Unit Cont. - 55,30,5,1 GAL. PLASTIC CONT	Report Qty. (Lbs) - NA.
OSHA - NOT REGULATED	Labels - NONE
DOT - NOT REGULATED	
UN - NOT REGULATED	